




TUOTE: 1352-7035

A/C OSASARJA ALFA ROMEO























Sisältö:

568008(-10kpl)	O-Rengas vihreä	568116(-5kpl)	O-Rengas vihreä
568010(-10kpl)	O-Rengas vihreä	568211(-5kpl)	O-Rengas vihreä
568011(-10kpl)	O-Rengas vihreä	M208(-10kpl)	O-Rengas musta
568012(-10kpl)	O-Rengas vihreä	M2106(-10kpl)	O-Rengas vihreä
568013(-10kpl)	O-Rengas vihreä	672(-10kpl)	Venttiili
568015(-10kpl)	O-Rengas vihreä	524(-6kpl)	Suojatulppa
568017(-10kpl)	O-Rengas vihreä	618B(-10kpl)	Suojatulppa
568105(-10kpl)	O-Rengas vihreä	623(-6kpl)	Suojatulppa
568113(-5kpl)	O-Rengas vihreä		

STARTAX_{Oy}
















Auto-Electronics Oy
Kannistontie 138, 33880 LEMPÄÄLÄ
puh:(03) 275 050 fax (03)275 0555
startax@startax.net
www.startax.net

O-RINGS... GREEN HNBR

 <p>Part # 568-901-10 #6 Nissan hose fitting/exp. valve, GM VIR Bleed Line, Nissan 6MM STV valve</p>	 <p>Part # 568-008-10 GM Capillary Tube</p>	 <p>Part # 568-902-10 Oil drain bolt o-ring, 16mm metric filter/drier fitting O-ring, EXP Valve O-ring</p>	 <p>Part # 568-010-10 Nissan hose fitting & drier, #8 Nissan, Nissan 8MM switch, Diesel Kiki DKS16H oil plug</p>
 <p>Part # M2102-10 #5 Toyota Hose Fitting (14MM), Mazda & Mitsubishi hose fitting</p>	 <p>Part # M2105-10 Nissan 92470 N8210, Calsonic 88000 69200, Nissan/Calsonic Captive</p>	 <p>Part # M2106-10 6MM Hose Fitting, Nissan/Calsonic Captive, Filter Drier/Condenser Evap. O-ring</p>	 <p>Part # M2103-10 GM orifice tube, Acura, Toyota T100 liquid line, Mazda hose fitting</p>
 <p>Part # 568-108-10 #6 GM captive, Ford combi valve evap. manifold oil bleed line, Ford block exp. valve</p>	 <p>Part # M2115-10 Metric No. 6 Springlock / hose fitting</p>	 <p>Part # 568-903-10 Ford orifice tube, GM HR6/HR6HE discharge crossover</p>	 <p>Part # 568-011-10 #6 Hose Fitting, Nissan #10 hose fitting/filter dryer, Hyundai #5 springlock</p>
 <p>Part # M2107-10 Oil plug O-ring, 7.5MM Hose Fitting/Exp. Valve/Filter Drier O-Ring</p>	 <p>Part # M2122-10 Diesel Kiki Pressure Relief Valve</p>	 <p>Part # 568-012-10 Toyota pressure switch, Mitsubishi FX105V compressor control valve (inner), #6 compression fitting</p>	 <p>Part # 568-904-10 GM Cycling Switches</p>
 <p>Part # M2112-10 9MM Hose Fitting / Drier O-Ring</p>	 <p>Part # M2148-10 #8 Metric Dual Fitting</p>	 <p>Part # M2113-10 Metric No. 8 Springlock, Chrysler Metric Fitting, Ford/Lincoln/Mercury special service Metric Fitting</p>	 <p>Part # 568-009-10 GM #8 - 1/2" metric captured</p>

O-RINGS ILLUSTRATED ACTUAL SIZE

O-RINGS... GREEN HNBR

 <p>Part # 568-110-10 #8 GM captive, Chrysler 6C17 large control valve (outer)</p>	 <p>Part # 568-905-10 GM 1/2" Dual Metric Fitting O-ring</p>	 <p>Part # 568-013-10 #8 Hose Fitting, Volvo #8 hose fitting, Mazda #8 springlock fitting, GM V5 control valve, Nissan #12 (20MM) hose fitting</p>	 <p>Part # M2116-10 Mercedes Metric 10MM Hose Fitting, Porsche 10MM Hose Fitting</p>
 <p>Part # M2121-10 Diesel Kiki DKS-16H large plug bolt, Hitachi MJS170 service valve, Mazda hose fitting</p>	 <p>Part # M2114-10 Nissan 92472 N8210, Calsonic A9540 69220 Captive O-Ring</p>	 <p>Part # 568-111-10 Mitsubishi FX80 discharge port, Acura hose fitting, Hitachi A5000 & MJS170 service valve</p>	 <p>Part # 568-105-10 Chrysler, GM, Import (Acura, Toyota, Mazda)</p>
 <p>Part # 568-1124-10 Import condenser, discharge hose, receiver/ drier, expansion valve & evaporator</p>	 <p>Part # 568-906-10 #10 Dual Metric GM</p>	 <p>Part # 568-014-10 #8 Compression Fitting, Mitsubishi FX105V control valve, GM in-line filter</p>	 <p>Part # M2110-10 Metric Fitting O-ring</p>
 <p>Part # M2123-10 Metric No. 10 Springlock, Nippondenso 10P08E Compressor Inner Manifold O-Ring</p>	 <p>Part # 568-015-10 #10 Hose Fitting, Ford #10 tube & non-metric springlock fitting, Toyota suction line</p>	 <p>Part # 568-125-10 #10 (5/8") Ford Peanut fittings, GM #10 (5/8") metric captured</p>	<p>By applying enough heat, an object can be forced to change its state, from a solid to a liquid to a gas. The same is true in reverse: by removing enough heat, an object can be forced to change states from a gas to a liquid to a solid.</p>

NYLON O-RING PICK



Part # 9411

- Will not scratch metal surfaces which can cause refrigerant leaks

O-RINGS... GREEN HNBR



Part # M2128-10
14MM Block Fitting, Nippon.
TV12C / TV14C Block Manifold,
Sanden 575 Shaft Seal O-Ring



Part # M2145-10
No. 12 Metric Dual Fitting,
GM 3/4" Dual Metric
Connection



Part # 568-016-10
#12 GM hose fitting, #10
compression fitting, Chrysler
6C17 small control valve port



Part # 568-2109-10
Metric Nissan Discharge



Part # 568-112-10
GM DA6, Sanden
SD505/507/TR70/TR90
compressor shaft seal head



Part # M2124-10
Nippondenso 10PA Suction,
Evap., 13MM Hose Fitting,
Nissan 92473 N8210, Calsonic
A9550 69220



Part # 568-113-10
#12 Captive, GM A6/R4,
Sanden SD708/709
compressor shaft seal head,
Mitsubishi FX80 suction port



Part # M2135-10
Metric No. 12 Springlock
Hose Fitting



Part # M2125-10
GM Special #12 Fitting
O-ring



Part # 568-114-10
Mitsubishi FX105V sensor,
Keihin 150L/150R shaft
seal head



Part # 568-017-10
#12 Hose Fitting, Nissan 19MM
evaporator suction



Part # M2138-10
Metric 17MM Hose Fitting /
Evaporator, Connection



Part # 568-115-10
Diesel Kiki BH DKS13G
discharge port



Part # 568-018-10
#12 compression fitting,
Chrysler 6C17 large control
valve port



Part # 568-019-10
Audi - VW, Seiko Seiki
SS170PSS internal rotor



Part # 568-208-10
Chrysler Expansion Block Valve
(Liquid) Hose, Block Fitting



Part # 0V116-10
Ford Red Oval O-ring
OEM red HNBR Rubber

**ALL O-RINGS AVAILABLE
IN BULK PACKS OF 1000**

O-RINGS ILLUSTRATED ACTUAL SIZE

O-RINGS... GREEN HNBR



Part # 568-116-10
Ford FS6 suct./discharge, Nippon. 6E/6P compressor suction/discharge port, Mitsubishi FX80 lip seal outer



Part # 568-910-10
Ford FS6, Nippon. suction/discharge, Chrysler/Jeep filter drier



Part # 568-117-10
Ford block exp. Valve, Diesel Kiki DKS13G compressor suction service valve



Part # 568-020-10
Ford Expansion Valve, Ford STV combi. valve



Part # 568-2024-10
Nippon. suction/discharge, 20MM Hose Fitting, Chrysler metric, Springlock Kit O-ring



Part # 568-118-10
GM & Chrysler Switch Port, Seiko Seiki SS170PSS comp rotor housing



Part # M2142-10
20MM Hose Fitting, Diesel Kiki CH Suction/DKS-13S Seal Seat, Sanden Seal Seat



Part # 568-211-10
GM A6, DA6, HR6, V5 service Valve, Ford FX15/FS10 serv. valve



Part # 568-212-10
GM R4 service valve, Chrysler block expansion valve suction line




Part # OV211-10
GM Oval O-ring



Part # 568-119-10
Sanden SD708, SD709 Shaft Seal Seat, Chrysler RV2 Dis. Muffler



Part # 13548-10
Nihon NVR front rotor body o-ring (late model)























Part # 568-3106-1
Toyota, Nippondenso Suction/Discharge Manifold Gasket

Also available in Black Neoprene
Part # 568-3106N-1
















The most common cause of fitting leaks is improper O-ring installation. Before O-rings are installed they should always be lubricated. Check the fittings before reinstalling them. A damaged or cracked fitting, or even one with a small scratch across the O-ring groove can cause leaks.

O-RINGS... BLACK NEOPRENE

 <p>Part # 568-008N-10 GM Capillary Tubelve</p>	 <p>Part # 568-010N-10 Nissan hose fitting & drier , #8 Nissan, Nissan 8MM switch, Diesel Kiki DKS16H oil plug</p>	 <p>Part # M2108-10 Metric Orifice Tube, 7MM Hose Fitting</p>	 <p>Part # 568-011N-10 #6 Hose Fitting, Nissan #10 hose fitting/filter dryer, Hyundai #5 springlock</p>
 <p>Part # 568-012N-10 Toyota pressure switch, Mitsubishi FX105V compressor control valve (inner), #6 compression fitting</p>	 <p>Part # 568-013N-10 #8 Hose Fitting, Volvo #8 hose fitting, Mazda #8 springlock fitting, GM V5 control valve, Nissan #12 (20MM) hose fitting</p>	 <p>Part # 568-014N-10 #8 Compression Fitting, Mitsubishi FX105V control valve, GM in-line filter</p>	 <p>Part # 568-015N-10 #10 Hose Fitting, Ford #10 tube & non-metric springlock fitting, Toyota suction line</p>
 <p>Part # 568-017N-10 #12 Hose Fitting, Nissan 19MM evaporator suction</p>	 <p>Part # 568-108N-10 #6 GM captive, Ford combi valve evap. manifold oil bleed line, Ford block exp. valve</p>	 <p>Part # 568-110N-10 #8 GM captive, Chrysler 6C17 large control valve (outer)</p>	 <p>Part # 568-111N-10 Mitsubishi FX80 discharge port, Acura hose fitting, Hitachi A5000 & MJS170 service valve</p>
 <p>Part # 568-112N-10 GM DA6, Sanden SD505/507/TR70/TR90 comp. shaft seal head</p>	 <p>Part # 568-113N-10 #12 Captive, GM A6/R4, Sanden SD708/709 compressor shaft seal head, Mitsubishi FX80 suction port</p>	 <p>Part # 568-115N-10 Diesel Kiki BH DKS13G discharge port</p>	 <p>Part # 568-116N-10 Ford FS6 suct./discharge, Nippon. 6E/6P compressor suction/discharge port, Mitsubishi FX80 lip seal outer</p>
 <p>Part # 568-118N-10 GM & Chrysler Switch Port, Seiko Seiki SS170PSS comp rotor housing</p>	 <p>Part # 568-211N-10 GM A6, DA6, HR6, V5 service Valve, Ford FX15/FS10 serv. valve</p>	 <p>Part # OV211N-10 GM Oval O-ring</p>	 <p>Part # 568-212N-10 GM R4 service valve, Chrysler block expansion valve suction line</p>

O-RINGS ILLUSTRATED ACTUAL SIZE


O-RINGS... BLACK NEOPRENE

 <p>Part # M2109-10 Metric Low Pressure Switch, Pressure Relief Valve, Lower Control Valve</p>	 <p>Part # M2111-10 9MM Captive Hose Fitting, 9MM Condenser, #8 Metric Captive</p>	 <p>Part # M2119-10 GM #10 Metric Captive, #10- 5/8 Metric Captive Type, 12MM Hose Fitting</p>	<p>"Great Quality ... Great Selection!" Supercool/TSI continues to expand its selection of products. Take a look at the complete program we offer !"</p>
 <p>Part # M2126-10 5/8" Metric O-Ring</p>	 <p>Part # M2147-10 Hitachi Compressor Manifold, 13MM Block TXV, Sensor</p>	 <p>Part # M2130-10 14MM Hose Fitting, Saturn Metric Block Valve Fitting, Suction Fitting</p>	 <p>Part # M2129-10 NISSAN 92475 W2100, CALSONIC A9550 69210, Hitachi Comp. 16MM Flange, Internal Carbon Shaft Seal</p>
 <p>Part # M2133-10 Nippondenso 10P08E Inner Manifold</p>	 <p>Part # M2136-10 GM #12- 3/4 High Stretch Metric, 16MM Hose Fitting</p>	 <p>Part # M2137-10 17MM Hose Fitting, Rotor Vlv, Carbon Seal Head</p>	 <p>Part # M2140-10 Diesel Kiki Dis. Port, Cntrl Vlv Housing, Carbon Seal Head</p>
 <p>Part # M2141-10 Inner Rotor, Audi/VW Valve O-ring, Rotor Manifold</p>	 <p>Part # M2143-10 Diesel Kiki CH Compressor Suction, Diesel Kiki Compressor Suction Port</p>	 <p>Part # M2144-10 Block Fitting, Coil Seal Head</p>	 <p>Part # M2152-10 Ford FS6 suct./discharge, Nippon. 6E/6P compressor suction/discharge port, Mitsubishi FX80 lip seal outer</p>

Elastomer (Seal) Compatibility Defined:

The ability of a lubricant to remain in contact with an elastomer without significantly affecting the chemical and physical properties of either. Immersion tests at elevated temperatures are commonly used to evaluate compatibility. Changes in volume and hardness are most often determined in lubricant laboratories; rubber laboratories usually run additional tests, such as tensile strength and elongation.

MOLDED SEALS... BLACK NEOPRENE




Part # M2151-10
Mitsubishi MSC105CVS Manifold Seal



Part # 14507-10
Nippondenso TV Manifold Seal



Part #M2153-10
Nippondenso 10PA15C Manifold Gasket
Not Supplied By Dealer



Part # M2149-10
GM & Chrysler Switch Port,
Seiko Seiki SS170PSS comp rotor housing



Part #14514-10
Matsushita NL
Manifold Molded Seal
















Part # M2150-10
Mitsubishi MSC-90C
Manifold Seal

O-RINGS ILLUSTRATED ACTUAL SIZE















O-RINGS... YELLOW HNBR

 Part # 13296-10 Volvo Yellow 3522587	 Part # M2104-10 Volvo Yellow Metric Orifice Tube 3537797	 Part # M2118-10 Volvo Yellow No. 6 Hose Fitting 3522588, 3537499	 Part # 13418-10 Volvo Yellow 3537201
 Part # M2120-10 Volvo Yellow Cycling Pressure Switch	 Part # 13357-10 Volvo Yellow 3545628	 Part # M2127-10 Volvo Yellow No. 8 Hose Fitting 3537503	 Part #13326-10 Volvo Yellow 3545416
 Part # M2134-10 Volvo Yellow No. 10 Hose Fitting	 Part # M2139-10 Volvo Yellow No. 12 Hose Fitting / Accumulator	 Part # 13463-10 Volvo Yellow 6847526	 Part # 13487-10 Volvo Yellow 3537508, 3522592
 Part #13371-10 Volvo Yellow 1324181	<div style="border: 1px solid black; padding: 10px;"> <ul style="list-style-type: none"> • Neoprene O-rings may be used with All refrigerant blends. • Neoprene O-rings are generally not affected by exposure to R22. • Seals made from HNBR or Nitrile rubber can be damaged when exposed to R22, thus are not recommended for use in other than R-134a and R-12 systems. • HNBR = Hydrogenated Acrylonitrile-Butadiene Rubber </div>		

AUDI / VW

O-RINGS... PURPLE HNBR

 <p>Part # 13302-10 Audi/VW 803-260-749, 803-260-749A, 8A0-260-749AK Ford Europe/UK 95VW-19E715-EA, 391302-S100</p>	 <p>Part # 13432-10 Ford Europe/UK 95VW-19E715-A A Audi/VW 7M0-820-749B</p>	 <p>Part #13401-10 Audi/VW 8A0-260-749AF</p>	 <p>Part # 13364-10 #Ford Europe/UK W702645</p>
 <p>Part # 13319-10 Audi/VW 8A0-260-749AJ, 7M0-820-749C Ford Europe Ford UK 19E715-BA</p>	 <p>Part # 13333-10 Audi/VW 8A0-260-749AH Ford Europe/UK 19E715</p>	 <p>Part # 13456-10 Audi/VW 1H0-820-749H</p>	 <p>Part # 13340-10 Audi/VW 803-260-749C Ford Europe/UK 19E715-DA</p>
 <p>Part # 13470-10 Audi/VW 1J0-820-749B</p>	 <p>Part # 13449-10 Audi/VW 1J0-820-749A</p>	 <p>Part # 13395-10 Audi/VW 701-820-749G</p>	 <p>Part # 13388-10 Audi/VW 400-260-749A</p>

EUROPEAN

DOUBLE AND TUBE O-RINGS

ILLUSTRATED
ACTUAL SIZE

 <p>Part # 16389 #6 Double O-ring Fiat OEM #10551983</p>	 <p>Part # 16396 #8 Double O-ring Fiat OEM #10552083</p>	 <p>Part # 16402 #10 Double O-ring Fiat OEM #10552183</p>	 <p>Part # 16419 #6 Double O-ring Peugeot OEM #6460P0</p>	 <p>Part # 16464 8mm #6 Molded Seal</p>	 <p>Part # 16471 11mm #8 Molded Seal</p>
Citroen, Fiat, Peugeot, Renault, Alfa Romeo, Iveco, Lancia					
 <p>Part # 16433 11mm #8 Double O-ring -- Renault</p>	 <p>Part # 16440 13mm #10 Double O-ring -- Renault</p>	 <p>Part # 16457 16mm #12 Double O-ring -- Renault</p>	 <p>Part # 16426 #8 Double O-ring Peugeot OEM #6460P1</p>	 <p>Part # 16488 14mm #10 Molded Seal</p>	 <p>Part # 16495 17mm #12 Molded Seal</p>

SPRING LOCK COUPLINGS & TOOLS



Part # OR60-6-10
#6 Garter Spring



Part # OR60-8-10
#8 Garter Spring



Part # OR60-10-10
#10 Garter Spring



Part # OR60-12-10
#12 Garter Spring



Part # 59651
A/C Spring
Lock Coupling Release Tool
#6 (3/8")



Part # 59652
A/C Spring
Lock Coupling Release Tool
#8 (1/2")



Part # 59653
A/C Spring
Lock Coupling Release Tool
#10 (5/8")



Part # 59654
A/C Spring
Lock Coupling Release Tool
#12 (3/4")



Part # 16866
A/C Spring Lock Clamp
#6 (3/8")



Part # 16868
A/C Spring Lock Clamp
#8 (1/2")



Part # 16870
A/C Spring Lock Clamp
#10 (5/8")



Part # 16872
A/C Spring Lock Clamp
#12 (3/4")

SPRING LOCK TOOL ASSORTMENT

9 Piece Set Includes:

- A/C spring lock tools 3/8", 1/2", 5/8", and 3/4"
- Fuel line spring lock tools 3/8" and 1/2"
- Fuel line quick disconnect tools 5/16" and 3/8"
- Transmission cooler & fuel line disconnect tool

Part # 1219

